


easy install kits for LED video walls

Sets for Video Walls in XXL





**let's
set the
stage.**

➤ **Sets for LED Video Wall**

➤ **easy install kits**

06

➤ Overview

08

➤ Technical Features

10

➤ Products

12

➤ **Freestanding LED Video Walls**

14

➤ Overview

16

➤ Technical Features

18

➤ Products


20




big. bigger. video wall.

Large-scale LED screens for a strong brand presence.

Our **substructure for LED video walls** do more than make brand messages visible—they bring them to life. Integrated into our high-quality **octawall pro** frame system, content becomes both eye-catching and a point of orientation. Available as **easy install kits** to complement your exhibition stand concept or as **freestanding solutions**, our sets are designed to fit perfectly into a variety of applications — from initial planning to finished presentation. The result is a presentation area that attracts attention, simplifies communication, and enhances brand appearance.



➤ Sets for LED Video Walls



Please note: LED panels are not included and must be purchased from a third-party supplier.




4 sets. impressive. bright.

The exhibition booth: easy install kits.

A strong exhibition appearance is the result of a perfect interaction between content, architecture, and lighting. This is exactly what our **easy install kits** are designed for. The LED panels from major manufacturers can be seamlessly integrated into the **octawall pro** frame system. Together with **octalux** illuminated extrusions, it becomes a well-thought-out stand solution. Pre-assembled frames and the plug-and-play principle significantly reduce installation time – no special tools or extensive training required. This saves time and reduces project costs while ensuring error-free installation thanks to standardized components. Integrated cable routing creates a tidy, professional appearance. From single exhibit to series project – four set sizes that make a visible impression.



↗ easy install kits





easy install kits.

A substructure for LED video walls with included structural analysis. Four sizes. High-quality workmanship and flexible design – for an exhibit that is not only safe but also a real eye-catcher.



octawall pro frames: modular and durable.

Made of aluminium, the **octawall pro** frames are lightweight yet stable and can be covered with fabric and panels. For maximum presentation space that can be adapted again and again.


➤ Overview

easy install kits

Light that attracts attention.

octalux illuminated extrusions set the stage for your exhibit.

Controllable via remote, they create individual lighting moods within the RGB color spectrum or as tunable white to highlight your entire exhibit.





Modular expansion thanks to system design.

Each **easy install kit** can be upgraded to the next size, because everything works together perfectly: modular frames, quick connectors, pre-assembled illuminated extrusions, and a flush-mountable door.



Fabric can be stretched around corners.



Flush integration of universal door W805 set.

➤ Technical Features

easy install kits



Highlights with
octalux illuminated
extrusions.



LED panel
integration.





easy install kits

elegant aluminium surface / octalux illuminated extrusions with dimmable LEDs / integrated door element / structural analysis included


easy install kit L 3 × W 3 × H 2,5 m



WP-C1

Aluminium | complete exhibition booth made from octawall pro and octalux
booth dimensions: L 3 × W 3 × H 2,5 m
LED display area: W 1 × H 1,5 m

Please note: LED panels are not included and must be purchased from a third-party supplier.




easy install kit L 3 × W 5 × H 2,5 m



WP-C2

Aluminium | complete exhibition booth made from octawall pro and octalux
booth dimensions: L 3 × W 5 × H 2,5 m
LED display area: W 2,5 × H 1,5 m

Please note: LED panels are not included and must be purchased from a third-party supplier.




easy install kit L 4 × W 6 × H 3 m




WP-C3

Aluminium | complete exhibition booth made from octawall pro and octalux
booth dimensions: L 4 × W 6 × H 3 m
LED display area: W 3,5 × H 2 m

Please note: LED panels are not included and must be purchased from a third-party supplier.




easy install kit L 4 × W 7 × H 3,5 m



WP-C4

Aluminium | complete exhibition booth made from octawall pro and octalux
booth dimensions: L 4 × W 7 × H 3,5 m
LED display area: W 4,5 × H 2,5 m


Please note: LED panels are not included and must be purchased from a third-party supplier.




Products

easy install kits

Overview of set dimensions




WP-C1: L 3 × W 3 × H 2.5 m



WP-C2: L 3 × W 5 × H 2.5 m



WP-C3: L 4 × W 6 × H 3 m



WP-C4: L 4 × W 7 × H 3.5 m

Dimensions of possible LED video wall





freestanding. flexible. 3 sizes.

Sets for video walls that work with any project.

Sometimes, you need to grab maximum attention without committing to a full stand concept. Our **freestanding substructure for LED video walls** provide just that: an independent presentation area integrated into the **octawall pro** frame system — stable, high-quality, and flexible in placement. This makes your content the clear focal point: as an eye-catcher at the entrance, an information area in the visitor flow, or a strong stage for your brand, products, and images. The system is designed for quick setup and a clean look with integrated cable routing. With three size options, you can select a set to perfectly suit your space, budget, and area of application - for exhibitions, events, roadshows or showrooms.








3 sizes. 1 system.

The substructure of the LED video walls consists of **octawall pro** frames. Made of lightweight aluminium, they promise stability and a long service life. Thanks to the modular design, the individual sets can also be expanded.

➤ Overview

Set for Freestanding LED Video Walls




Structural analysis: included.

All our video wall solutions come with a structural analysis. This contributes not only to visitor safety but also provides additional security in planning and facilitates coordination with local event organizers.



Flush
integration of
LED panels.



Fabric can
be stretched
around
corners.

Simple design — without interruptions.

Whether it's a corner upright or an LED panel, the fabric extends almost seamlessly to the edge, creating a uniform appearance and maximizing advertising space.

➤ Technical Features

Set for Freestanding LED Video Walls



Efficient: modular system construction.

For the substructure, **octawall pro** frames are attached to each other without tools using quick connectors. The LED panels are held securely in place by adapters (suitable for major manufacturers) that engage in the system groove of the frames.



Sets for Freestanding LED Video Walls

elegant aluminium surface / fully coverable with fabric or panels / structural analysis included


Video Wall L 4 × W 0.5 × H 2.5 m



WP-C2-LED

Aluminium | Free-standing video wall including structural analysis from octawall pro for maximum display area, optionally with 2 × octalux extrusion on the outer corners,
wall dimensions: L 4 × W 0.5 × H 2.5 m
LED display area: W 2.5 × H 1.5 m

Please note: LED panels are not included and must be purchased from a third-party supplier.




Video Wall L 4.5 × W 0.5 × H 3 m




WP-C3-LED

Aluminium | Free-standing video wall including structural analysis from octawall pro for maximum display area, optionally with 2 × octalux extrusion on the outer corners,
wall dimensions: L 4,5 × W 0,5 × H 2,5 m
LED display area: W 3,5 × H 2 m

Please note: LED panels are not included and must be purchased from a third-party supplier.




Video Wall L 5.5 × W 0.5 × H 3.5 m



WP-C4-LED

Aluminium | Free-standing video wall including structural analysis from octawall pro for maximum display area, optionally with 2 × octalux extrusion on the outer corners,
wall dimensions: L 5,5 × W 0,5 × H 3,5 m
LED display area: W 4,5 × H 2,5 m

Please note: LED panels are not included and must be purchased from a third-party supplier.



➤ Products

Set for Freestanding LED Video Walls

Overview of set dimensions



WP-C2-LED: L 4 × W 0.5 × H 2.5 m




WP-C3-LED: L 4.5 × W 0.5 × H 3 m



WP-C4-LED: L 5.5 × W 0.5 × H 3.5 m

Dimensions of possible LED video wall



exhibition systems
project solutions
cleanroom solutions

octanorm

OCTANORM®-Vertriebs-GmbH

für Bauelemente

Raiffeisenstraße 39

70794 Filderstadt, Germany

T +49 711 77003-0

E info@octanorm.de

Adria

↗ octanormadria.com

Australia

↗ octanorm.com.au

Belgium

↗ octanorm.be

China

↗ octanorm.cn

Emirates

↗ octanormemirates.net

España

↗ octanorm.es

France

↗ octanorm.fr

Hellas

↗ octanorm.gr

Italia

↗ octanorm.it

Japan

↗ octanorm.co.jp

México

↗ octanorm.com.mx

Nigeria

↗ it-al.design

Nordic

↗ octanorm.se

North America

↗ octanormna.com

Polska

↗ octanorm.pl

South Africa

↗ octanorm.co.za

UK

↗ octanorm.co.uk

↗ octanorm.com