octanorm®

octarig

1 System. 3 Designs.

Stable ceiling construction with a system.



octanorm.com

stability.

Stability. Providing support when everything is in motion.
The quiet promise of consistency in a world full of upheaval. Not stagnation — but inner strength. Stability is the foundation on which decisions grow, trust is built, and great things are constructed. It gives you the freedom to think bigger, plan bigger, and act with conviction. To create something new, you need a solid starting point. A calming influence that provides orientation when direction is still unclear. You need a system that thinks and acts consistently — one that will make your brand not just visible, but unmissable. That's why the question is not: How much change is good? But rather: What can you really build on? Here are some reliable answers.

no compromise.

↗ Contents

↗ octarig **06**

↗ Technical Features 08
↗ In Action 12

span.
stability.
load capacity.

For maximum security at your exhibition booth.

Suspended, elevated or as pylon construction – **octarig** gives you the freedom to realize any desired booth concept. The result is a stable, quickly assembled construction that complies with local regulations and holds your equipment.



↗ Technical Features

octarig

supporting beam

for heavy loads

beam retainer

junction

angle connection

tension brace junction



lateral fabric attachment

bottom fabric attachment

cover

round tube mounting

Suspension points.
Do you want to get rid of all the visible supports? **octarig** can be easily hung from the existing ceiling using suspension points. This allows you to showcase your stand area and product without interruption.

Compatible. Flexible. Adjustable.
Invisible cable management, track mounting and countless possibilities to individualize the system make it ideal for the construction of your project. Rotated through 180°, the power rails can already be prefitted on the floor. With its high load capacity, **octarig** sets standards in terms of safety both in connection with stage and event technologies and no matter if used with hanging banners or fabric tensioning.

Technical Details:

- ↗ wide span of up to 12 m
- ↗ high load capacity
- ↗ easy assembly with only a few parts
- ↗ invisible cable management
- ↗ individual design possibilities
- ↗ compatible with stage and event technologies
- ↗ connection at variable angles with hinged elements
- ↗ power rail mounting

Stable on uprights.
A venue's ceiling construction does not always allow for the suspension of the **octarig** system. Elevated, the system opens up completely new possibilities: up to 6 m ceiling height – even without any suspension points. The construction can be premounted on the floor and elevated to the corresponding height using lifting gear.

Reinforced connection for maximum load capacity.



Self-supporting corner up to 3 m.



More floor space thanks to the stable connection of the tension bracing.

Pylon – outstanding 3 m.

Maximum floor space with a system featuring a simple design that easily fits into every booth architecture. The pylon design allows for the construction of self-supporting corners of up to 3 m, held only by clamping elements without the need for additional ceiling suspension. Wherever you decide to place the uprights, **octarig** gives you the freedom you need for your presentation area.

FASCINATINGLY SUSTAINABLE
LEXIBLE.
ICT

Zeelandia
Releasing your potential
Zeelandia
For the love of cake
Boulangerie

octarig



© Expovorm international - Verosol - Zeelandia

exhibition systems
project solutions
cleanroom solutions



octanorm®

OCTANORM®-Germany
Head Office
Raiffeisenstraße 39
70794 Filderstadt, Germany
T +49 711 77003-0
E info@octanorm.de

Adria
octanormadria.com

Australia
octanorm.com.au

Belgium
octanorm.be

China
octanorm.cn

Emirates
octanormemirates.net

España
octanorm.es

France
octanorm.fr

Hellas
octanorm.gr

Italia
octanorm.it

Japan
octanorm.co.jp

México
octanorm.com.mx

Nigeria
it-al.design

Nordic
octanorm.se

North America
octanormna.com

Polska
octanorm.pl

South Africa
octanorm.co.za

UK
octanorm.co.uk

octanorm.com

AW 7948.GB_octarig_11/2025